

### according to 1907/2006/EC, Article 31

Version: SDS/2020/01 Print Date: 21/05/2020

Product Name: AUSTRALIAN LEMON SCENTED EUCALYPTUS OIL

# SECTION 1: Identification of the substance/mixture and of the Company/undertaking

1.1 Product Identifiers

Product Code : 018

Product Name : AUSTRALIAN LEMON SCENTED EUCALYPTUS OIL

CAS No. (TSCA) : 129828-24-6; 85203-56-1; 8000-48-4

**EINECS** : 603-366-5; 286-249-8

Reach Registration number: N/A Reach Pre-Registration number: N/A

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available **Application of the substance / preparation:** 

Cosmetics & Aromatherapy

### 1.3 Manufacturer / Supplier Details:

Golden Grove Naturals PTE (Ltd.)

Munro Wharf Road, Tucki Tucki, NSW 2480 Email: info@goldengrovenaturals.com

### 1.4 Information in case of emergency:

Mr. Prasenjit Mazumdar Ph.: +91 9810008844

Email: pmazumdar@goldengrovenaturals.com

# SECTION 2: Hazard Identification

### 2.1 Classification of the substance / preparation

Classification according to Regulation (EC) No. 1272/2008

Acute Tox. Oral 4 H302: Harmful if swallowed

Skin Irrit. 2 H315: Causes skin irritation

Eye Irrit. 2 H320: Causes eye irritation

Resp. Sens. 1 H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled

#### 2.2 Label Elements

### Labelling according to Regulation (EC) No. 1272/2008

This product is classified and labelled according to the CLP regulation.

### **GHS Signal Word**

WARNING

### Hazard Pictograms





GHS07

GHS

Hazard Determining components of Labelling

Citronellal

Page 1 of 9 Printed By: SAP Business One



### according to 1907/2006/EC, Article 31

Version: SDS/2020/01 Print Date: 21/05/2020

Product Name: AUSTRALIAN LEMON SCENTED EUCALYPTUS OIL

#### Hazard Statements

H302 Harmful if swallowed H315 Causes skin irritation H320 Causes eye irritation

H334 May cause allergy or asthma symptoms of breathing difficulties if inhaled

### **Precautionary Statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray

P280 Wear protective gloves/protective clothing/eye protection/face protection

P301+312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

#### 2.3 Other Hazard

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

# SECTION 3: Composition / Information of Ingredients

3.1 Chemical characterisation: Substance

**TSCA CAS Number** : 129828-24-6; 85203-56-1; 8000-48-4

**EINECS CAS Number** : N/A

Description:Eucalyptus citriodoraEINECS Number:603-366-5; 286-249-8

#### 3.2 Hazardous components:

CITRONELLAL (CAS No 106-23-0) Skin Irrit. 2; H315; Eye Irrit. 2; H319; Skin Sens. 1; H317; Amount: Min 70%

#### 3.3 Additional Information:

For the wordings of listed H statements refer to section 16

### SECTION 4: First AID Measures

#### 4.1 Description of first aid measures

## General information:

If health disorder happens, call for medical help immediately.

Immediately remove any clothing soiled by the product.

### After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: Do not induce vomiting; call for medical help immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

Page 2 of 9 Printed By: SAP Business One



### according to 1907/2006/EC, Article 31

Version: SDS/2020/01 Print Date: 21/05/2020

Product Name: AUSTRALIAN LEMON SCENTED EUCALYPTUS OIL

## **SECTION 5: Fire Fighting Measures**

#### 5.1 Extinguishing media

Suitable extinguishing agents: CO2, alcohol resistant foam, powder, water spray.

For safety reasons unsuitable extinguishing agents: Water with full jet

#### 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

Carbon dioxide (CO2)

Smoke and soot

Do not use water with full jet to prevent fire spreading.

#### 5.3 Advice for firefighters

**Protective equipment:** Wear self-contained respiratory protective device.

Additional information

Cool endangered receptacles with water spray.

Collect contaminated firefighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated firefighting water in accordance with official regulations.

### SECTION 6: Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Follow safety measures in chapter 7 and 8.

Wear protective equipment. Keep unprotected persons away.

### 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

## 6.3 Methods and material for containment and cleaning up:

Wipe up little amounts with absorbent material like cloth or pulp.

Water and cleansing agent

Absorb with incombustible liquid-binding material (sand, diatomite, universal binders).

Dispose of contaminated material as waste according to item 13.

### 6.4 Reference to other sections

Keep ignition source away, do not smoke and avoid flames.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Page 3 of 9 Printed By: SAP Business One



# according to 1907/2006/EC, Article 31

Version: SDS/2020/01 Print Date: 21/05/2020

Product Name: AUSTRALIAN LEMON SCENTED EUCALYPTUS OIL

# SECTION 7: Handling and storage

7.1 Precautions for safe handling personal protection equipment see point 8.

### Information about fire - and explosion protection:

Fumes can combine with air to form an explosive mixture.

Moistened solids (e.g. cloth, pulp, filter panel, binder) must be stored hermetically sealed and/or watered and proper disposed (see chapter 9 and 13).

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

### 7.2 Conditions for safe storage, including any incompatibilities

Storage:

#### Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Provide solvent resistant, sealed floor.

Information about storage in one common storage facility: Store away from oxidising agents.

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well-sealed receptacles.

Storage class: 3

Classification according to Betriebssicherheitsverordnung (BetrSichV) Flammable

7.3 Specific end use(s) No further relevant information available.

# SECTION 8: Exposure controls/personal protection

### 8.1 Control Parameters

No Data Available

Page 4 of 9 Printed By: SAP Business One



## according to 1907/2006/EC, Article 31

Version: SDS/2020/01 Print Date: 21/05/2020

Product Name: AUSTRALIAN LEMON SCENTED EUCALYPTUS OIL

#### 8.2 Exposure controls

#### Personal protective equipment:

### General protective and hygienic measures:

Use personal protective equipment depending on concentration and amount of hazardous substance.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

#### Respiratory protection:

Suitable respiratory protection: filter class A2 (brown colour). Use the rules for application of respiratory protection systems.

#### Protection of hands:

Preventive skin protection by use of skin-protecting agents is recommended.



#### Protective gloves

The glove material must be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The election of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

### Penetration time of glove material

> 480 minutes at layer thickness of 0,425 millimetre (Sol-Vex 37-695/Ansell).

The exact break through time must be found out by the manufacturer of the protective gloves and must be observed.

#### For the permanent contact gloves made of the following materials are suitable:

Nitrile rubber, NBR

E.g. following product: Sol-Vex (37-695) from Ansell.

As protection from splashes gloves made of the following materials are suitable: PVC gloves

Eye protection:



Tightly sealed goggles according to EN 166:2001 **Body protection:** Protective work clothing

Page 5 of 9 Printed By: SAP Business One



## according to 1907/2006/EC, Article 31

Version: SDS/2020/01 Print Date: 21/05/2020

Product Name: AUSTRALIAN LEMON SCENTED EUCALYPTUS OIL

# SECTION 9: Physical and chemical properties

**General Information** 

Form : Liquid

Colour : Clear colourless to pale yellow mobile liquid

Odour : Lemon/citrus

Odour Threshold : N/A

Change in Condition

Melting Point  $^{\circ}C$ :N/ABoiling Point  $^{\circ}C$ :N/AFlash Point (Closed Cup)  $^{\circ}C$ :87 $^{\circ}C$ 

 Specific Gravity/Relative Density
 : 0.850 - 0.880 @20℃

 Refractive Index
 : 1.440 - 1.460 @20℃

Vapour Density:N/AVapour Pressure:N/A

Solubility:

Water : Insoluble
Alcohol : Soluble

Flammability : N/A
Auto Ignition Temperature : N/A

**Explosive Limits** 

Lower Explosion Limits N/A**Upper Explosion Limits** N/ApH value N/A $-1^{\circ}$  to  $+3^{\circ}$ **Optical Rotation** Surface Tension N/APartition Coefficient N/AN/AGranulometry **Oxidising Properties** N/A

Viscosity : Not estimated

# SECTION 10: Stability and reactivity

### 10.1 Reactivity

#### 10.2. Chemical stability

### Thermal decomposition / conditions to be avoided:

Heating causes vaporisation and formation of ignitable atmosphere is possible.

## 10.3 Possibility of hazardous reactions

Formation of explosive gas mixture with air possible.

Product is not self igniting; but in case of unpropitious storing conditions (air admission, heat accumulation) self ignition is possible for moistened solids (e.g. cloth, pulp, filter panels, binder).

Reacts violently with oxidising agents.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

### 10.6 Hazardous decomposition products:

No dangerous decomposition products expected by intended use.

Page 6 of 9 Printed By: SAP Business One



# according to 1907/2006/EC, Article 31

Version: SDS/2020/01 Print Date: 21/05/2020

Product Name: AUSTRALIAN LEMON SCENTED EUCALYPTUS OIL

# SECTION 11: Toxicological information

11.1 Toxicological Information Acute

OralNo data availableInhalationNo data availableSkinNo data available

11.2 Exposure Limits No data available

Note: There is a blanket recommendation of 10 mg/m3 for inspirable dusts or mists when limits have not otherwise been

## SECTION 12: Ecological information

12.1 Toxicity

PNEC Oral No data available
EC50 (48hrs) No data available
LC50 (96hrs) No data available

12.2 Persistence and degradability Not Determined
 12.3 Mobility in Soil Not Determined
 12.4 Results of PBT and vPvB assessment No data available

# SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods:

Product/packaging disposal

Handle in accordance with official provisions

Waste treatment options

Recycling is preferred to disposal or burning

Disposal conditions

Dispose of in accordance with all federal, state and local environmental regulations.

### 13.2 Recommendations:

Empty contaminated packing thoroughly as they may be recycled

Moistened solids to be dispose-off adhering to necessary technical regulations after consulting concerned authorities

# SECTION 14: Transport information

Page 7 of 9 Printed By: SAP Business One



## according to 1907/2006/EC, Article 31

Version: SDS/2020/01 Print Date: 21/05/2020

Product Name: AUSTRALIAN LEMON SCENTED EUCALYPTUS OIL

14.1 Land Transport (ADR/RID/GGVSE)

UN Number 3082
DG Class N/A
Packing Group III

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(contains citronellal)

Classification code N/A

14.2 Sea Transport (IMDG-Code/GGVSE)

UN Number 3082
DG Class N/A
Packing Group III

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(contains citronellal)

Marine Pollutant N/A

14.3 Air Transport (ICAO-TI/IATA-DGR)

UN Number 3082
DG Class N/A
Packing Group III

ADR/IMDG/IATA Labels:

#### 14.4 Special precautions for users:

Wear protective gloves/protective clothing/eye protection/face protection. Take off contaminated clothing and wash before reuse. Prevent entry into drains, ground/surface water or sewerage system.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

N/A

Other Information

**Custom Tariff Code** 3301.29.0000

EmS Code ---

# SECTION 15: Regulatory information

### 15.1 EU regulations:

The product has been classified and marked in accordance with EU Directives/ Ordinance on Hazardous Materials.

15.2 Water Hazard Class (Germany): N/A

15.3 Chemical safety Assessment No data available

15.4 Other regulations, limitations and prohibitive regulations

EPANoTSCAYesDSLYesPreposition 65No

Comply with the rules and regulations of skin protection.

Page 8 of 9 Printed By: SAP Business One



## according to 1907/2006/EC, Article 31

Version: SDS/2020/01 Print Date: 21/05/2020

Product Name: AUSTRALIAN LEMON SCENTED EUCALYPTUS OIL

## SECTION 16: Other information

### Abbreviations used:

EC European Commission
EU European Union
DG Dangerous Goods
CAS Chemical Abstract Sam

CAS Chemical Abstract Service

**EINECS** European Inventory of Existing Commercial Chemical Substances

GHS Globally Harmonized System
CMR Carcinogen, Mutagen, Reprotoxic
PNEC Predicted No Effect Concentration
EC50 Effective Concentration 50 percent
LC50 Lethal Concentration 50 percent
PBT Persistent Bio accumulative and Toxic
vPvB Very Persistent Very Bio accumulative

EWC European Waste Catalogue
EmS Emergency Medical Services

ADR Transport of Dangerous Goods by Road

**RID** International Carriage of Dangerous Goods by Rail

GGVSE German Regulation on the Transport of Dangerous Goods by Road and Rail

MDG International Maritime Dangerous Goods

ICAO-TI International Civil Aviation Organization-Technical Instructions
IATA-DGR International Air Transport Association-Dangerous Goods Regulation

WGK Wassergefährdungsklassen
EPA Environmental Protection Agency
TSCA Toxic Substance Control Act
DSL Dangerous Substance List

# 16.2 Full text of the H-Statement used in Section -3. (follow the link)

<a href="http://ec.europa.eu/enterprise/sectors/chemicals/files/ghs/signalwords">http://ec.europa.eu/enterprise/sectors/chemicals/files/ghs/signalwords</a> hs ps en.xls>

## **Quality Declaration**

The information contained herein is based on the present state of our knowledge. It characterizes the product with regards to the appropriate safety precaution.

Page 9 of 9 Printed By: SAP Business One