

according to 1907/2006/EC, Article 31

Version: SDS/2019/01 Product Name: EUCALYPTUS STAIGERIANA OIL Print Date: 17/07/2019

## SECTION 1: Identification of the substance/mixture and of the Company / undertaking

- 1.1 **Product Identifiers Product Code** *029* : **Product** Name EUCALYPTUS STAIGERIANA OIL : CAS No. (TSCA) 91771-69-6 : **EINECS** 294-963-6 : **Reach Registration number:** N/A Reach Pre-Registration number: N/A
- **1.2** Relevant identified uses of the substance or mixture and uses advised against No further relevant information available Application of the substance / preparation: Perfumes & Fragrances
- 1.3 Manufacturer / Supplier Details: Golden Grove Naturals Pty Ltd Munro Wharf Road, Tucki Tucki, NSW 2480 Email: info@goldengrovenaturals.com
- 1.4 Information in case of emergency: Mr. Prasenjit Mazumdar Ph.: +91 9810008844 Email: pmazumdar@goldengrovenaturals.com

## SECTION 2: Hazard Identification

#### 2.1 Classification of the substance / preparation

	Classification according to Regulation (EC) No. 1272/2008		
Flam. Liq. 3 H226: Flammable liquid		H226: Flammable liquid and vapour	
	Acute Tox. Oral 4	H302: Harmful if swallowed	
	Asp. Tox. 1	H304: May be fatal if swallowed and enters airways	
	Skin Irrit. 2	H315: Causes skin irritation	
	Skin Sens. 1	H317: May cause an allergic skin reaction	
	Aquatic Chronic 2	H411: Toxic to aquatic life with long-lasting effects	

#### 2.2 Label Elements

*Labelling according to Regulation (EC) No. 1272/2008 This product is classified and labelled according to the CLP regulation.* 

**GHS Signal Word** DANGER

#### Hazard Pictograms



Hazard Determining components of Labelling Limonene



Safety data sheet according to 1907/2006/EC, Article 31

## Version: SDS/2019/01 Product Name: EUCALYPTUS STAIGERIANA OIL

Print Date: 17/07/2019

#### Hazard Statements

H226	Flowership lieud on d your own	
	Flammable liquid and vapour	
H302	Harmful if swallowed	
H304	May be fatal if swallowed and enters airways	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H411	Toxic to aquatic life with long lasting effects	
Precautionary Statements		
P210	Keep away from heat/sparks/open flames/hot surfaces - No smoking	
P211	Do not spray on an open flame or other ignition source	
P280	Wear protective gloves/protective clothing/eye protection/face protection	
P301+330+331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting	
P333+313	If skin irritation or a rash occurs: Get medical advice/attention	
P403+235	Store in a well-ventilated place. Keep cool	

#### 2.3 Other Hazard

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

## **SECTION 3:** Composition / Information of Ingredients

#### 3.1 Chemical characterisation: Substance

:	91771-69-6
:	N/A
:	Eucalyptus staigeriana
:	294-963-6
	: : :

#### 3.2 Dangerous components:

LIMONENE (CAS No. 5989-27-5) AH 1,EH A1,EH C1,FL 3,SCI 2,SS 1B-H226,H304,H315,H317,H400,H410; Amount: 15 - 35%

#### 3.3 Additional Information:

For the wordings of listed H statements refer to section 16

## **SECTION 4: First AID Measures**

#### 4.1 Description of first aid measures

General information:

If health disorder happens, call for medical help immediately. Immediately remove any clothing soiled by the product.

#### After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably on side position for transportation. *After skin contact:* Immediately wash with water and soap and rinse thoroughly. *After eye contact:* Rinse opened eye for several minutes under running water. *After swallowing:* Do not induce vomiting; call for medical help immediately.

- **4.2** *Most important symptoms and effects, both acute and delayed No further relevant information available.*
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.



according to 1907/2006/EC, Article 31

## Version: SDS/2019/01

## Product Name: EUCALYPTUS STAIGERIANA OIL

Print Date: 17/07/2019

### **SECTION 5: Fire Fighting Measures**

### 5.1 Extinguishing media

Suitable extinguishing agents: CO2, alcohol resistant foam, powder, water spray. For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture In case of fire, the following can be released: Carbon monoxide (CO) Carbon dioxide (CO2) Smoke and soot Do not use water with full jet to prevent fire spreading.

#### 5.3 Advice for firefighters

**Protective equipment:** Wear self-contained respiratory protective device. **Additional information** Cool endangered receptacles with water spray. Collect contaminated firefighting water separately. It must not enter the sewage system. Dispose of fire debris and contaminated firefighting water in accordance with official regulations.

### SECTION 6: Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures Follow safety measures in chapter 7 and 8. Wear protective equipment. Keep unprotected persons away.

#### 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

#### 6.3 Methods and material for containment and cleaning up:

Wipe up little amounts with absorbent material like cloth or pulp. Water and cleansing agent Absorb with incombustible liquid-binding material (sand, diatomite, universal binders). Dispose of contaminated material as waste according to item 13.

#### 6.4 Reference to other sections

Keep ignition source away, do not smoke and avoid flames. See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.



according to 1907/2006/EC, Article 31

Version: SDS/2019/01

Product Name: EUCALYPTUS STAIGERIANA OIL

Print Date: 17/07/2019

## SECTION 7: Handling and storage

- 7.1 Precautions for safe handling personal protection equipment see point 8.
  Information about fire and explosion protection: Fumes can combine with air to form an explosive mixture. Moistened solids (e.g. cloth, pulp, filter panel, binder) must be stored hermetically sealed and/or watered and proper disposed (see chapter 9 and 13). Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- 7.2 Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles. Provide solvent resistant, sealed floor. Information about storage in one common storage facility: Store away from oxidising agents. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well-sealed receptacles. Storage class: 3 Classification according to Betriebssicherheitsverordnung (BetrSichV) Flammable
- 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

No Data Available



### according to 1907/2006/EC, Article 31

### Version: SDS/2019/01 Product Name: EUCALYPTUS STAIGERIANA OIL

Print Date: 17/07/2019

#### 8.2 Exposure controls

#### Personal protective equipment: General protective and hygienic measures:

Use personal protective equipment depending on concentration and amount of hazardous substance.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

## Respiratory protection:

Suitable respiratory protection: filter class A2 (brown colour). Use the rules for application of respiratory protection systems. **Protection of hands:** 

Preventive skin protection by use of skin-protecting agents is recommended.



Protective gloves

The glove material must be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves

The election of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

> 480 minutes at layer thickness of 0,425 millimetre (Sol-Vex 37-695/Ansell).

The exact break through time must be found out by the manufacturer of the protective gloves and must be observed. For the permanent contact gloves made of the following materials are suitable:

Nitrile rubber, NBR

E.g. following product: Sol-Vex (37-695) from Ansell.

As protection from splashes gloves made of the following materials are suitable: PVC gloves Eye protection:



*Tightly sealed goggles according to EN 166:2001* **Body protection:** Protective work clothing



according to 1907/2006/EC, Article 31

## Version: SDS/2019/01 Product Name: EUCALYPTUS STAIGERIANA OIL

Print Date: 17/07/2019

General Information		
Form	:	Liquid
Colour	:	Colourless to pale yellow
Odour	:	Strong lemon citrus with fruity and floral backnotes
Odour Threshold	:	N/A
Change in Condition		
Melting Point °C	:	N/A
<b>Boiling Point</b> ° C	:	180° to 200°C @760 mm Hg
Flash Point (Closed Cup) °C	:	60°C
Specific Gravity/Relative Density	:	0.870 - 0.890 @20°C
Refractive Index	:	1.472 - 1.482 @20°C
Vapour Density	:	N/A
Vapour Pressure	:	N/A
Solubility:		
Water	:	Insoluble
Alcohol	:	Soluble
Flammability	:	Flammable
Auto Ignition Temperature	:	N/A
Explosive Limits		
Lower Explosion Limits	:	N/A
Upper Explosion Limits	:	N/A
pH value	:	N/A
Optical Rotation	:	-35° to -20°
Surface Tension	:	N/A
Partition Coefficient	:	N/A
Granulometry	:	N/A
Oxidising Properties	:	N/A
Viscosity	:	Not estimated

## SECTION 10: Stability and reactivity

#### 10.1 Reactivity

#### 10.2. Chemical stability

*Thermal decomposition / conditions to be avoided: Heating causes vaporisation and formation of ignitable atmosphere is possible.* 

#### 10.3 Possibility of hazardous reactions

Formation of explosive gas mixture with air possible. Product is not self igniting; but in case of unpropitious storing conditions (air admission, heat accumulation) self ignition is possible for moistened solids (e.g. cloth, pulp, filter panels, binder). Reacts violently with oxidising agents.

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

#### 10.6 Hazardous decomposition products:

No dangerous decomposition products expected by intended use.



according to 1907/2006/EC, Article 31

### Version: SDS/2019/01 Product Name: EUCALYPTUS STAIGERIANA OIL

Print Date: 17/07/2019

SECTION 11: Toxicological information	
11.1 Toxicological Information Acute	

	Oral	No data available
	Inhalation	No data available
	Skin	No data available

 11.2 Exposure Limits
 No data available

 Note: There is a blanket recommendation of 10 mg/m3 for inspirable dusts or mists when limits have not otherwise been

SEC	SECTION 12: Ecological information		
12.1	Toxicity		
	PNEC Oral	No data available	
	EC50 (48hrs)	No data available	
	LC50 (96hrs)	No data available	
12.2	Persistence and degradability	Not Determined	
12.3	Mobility in Soil	Not Determined	
12.4	Results of PBT and vPvB assessment	No data available	

## SECTION 13: Disposal considerations

## 13.1 Waste treatment methods:

Product/packaging disposalHandle in accordance with official provisionsWaste treatment optionsRecycling is preferred to disposal or burningDisposal conditionsDispose of in accordance with all federal, state and local environmental regulations.

#### 13.2 Recommendations:

*Empty contaminated packing thoroughly as they may be recycled Moistened solids to be dispose-off adhering to necessary technical regulations after consulting concerned authorities* 

## SECTION 14: Transport information



## Version: SDS/2019/01 Product Name: EUCALYPTUS RADIATA OIL

Print Date: 17/07/2019

14.1 Land Transport (ADR/RID/GGVSE)	
UN Number	1169
DG Class	3
Packing Group	111
Proper Shipping Name	EXTRACTS, AROMATIC LIQUID
Classification code	3Y
14.2 Sea Transport (IMDG-Code/GGVSE)	
UN Number	1169
DG Class	3
Packing Group	III
Proper Shipping Name	EXTRACTS, AROMATIC LIQUID
Marine Pollutant	N/A
14.3 Air Transport (ICAO-TI/IATA-DGR)	
UN Number	1169
DG Class	3
Packing Group	III

#### ADR/IMDG/IATA Labels:



#### 14.4 Special precautions for users:

Wear protective gloves/protective clothing/eye protection/face protection. Take off contaminated clothing and wash before reuse. Prevent entry into drains, ground/surface water or sewerage system.

Transport in bulk according	to Annex II of MARPOL 73/78 and the IBC Code
N/A	
Other Information	
Custom Tariff Code	3301.29.0000
EmS Code	

## SECTION 15: Regulatory information

#### 15.1 EU regulations:

The product has been classified and marked in accordance with EU Directives/ Ordinance on Hazardous Materials.

N/A	
No data available	
rohibitive regulations	
No	
No	
No	
No	

Comply with the rules and regulations of skin protection.



according to 1907/2006/EC, Article 31

Version : SDS/2019/01 Product Name : EUCALYPTUS STAGERIANA OIL

Print Date : 17/07/2019

## **SECTION 16: Other information**

Abbreviations used:				
EC	European Commission			
EU	European Union			
DG	Dangerous Goods			
CAS	Chemical Abstract Service			
EINECS	European Inventory of Existing Commercial chemical Substances			
GHS	Globally Harmonized System			
CMR	Carcinogen, Mutagen, Reprotoxic			
PNEC	Predicted No Effect Concentration			
EC50 Effective Concentration 50 percent				
LC50	Lethal Concentration 50 percent			
PBT	Persistent Bio accumulative and Toxic			
vPvB	Very Persistent Very Bio accumulative			
EWC	European Waste Catalogue			
EmS	Emergency Medical Services			
ADR	Transport of Dangerous Goods by Road			
RID	International Carriage of Dangerous Goods by Rail			
GGVSE	German Regulation on the Transport of Dangerous Goods by Road and Rail			
MDG	International Maritime Dangerous Goods			
<b>ICAO-TI</b> International Civil Aviation Organization-Technical Instructions				
IATA-DGR	International Air Transport Association-Dangerous Goods Regulation			
WGK	Wassergefährdungsklassen			
EPA	Environmental Protection Agency			
TSCA	Toxic Substance Control Act			
DSL	Dangerous Substance List			

## 16.2 Full text of the H-Statement used in Section -3. (follow the link)

<http://ec.europa.eu/enterprise/sectors/chemicals/files/ghs/signalwords hs ps en.xls>

### Quality Declaration

The information contained herein is based on the present state of our knowledge. It characterizes the product with regards to the appropriate safety precaution.